

Amendments to the Claims:

This Listing of Claims replaces all prior versions, and listings, of claims in this application.

1-165 (Cancelled).

166. (Currently Amended) [[The sheet of claim 165]] A sheet of printable business cards, comprising:

a cardstock sheet construction having a front side and a back side;

a solid continuous liner sheet releasably secured with ultraremovable adhesive to and covering the back side;

continuous through-cut lines through the cardstock sheet construction to the back side but not through-cut through the liner sheet;

the through-cut lines defining at least in part perimeter edges of printable business cards and a matrix waste portion;

portions of the back side of the cardstock sheet construction forming back side surfaces of the printable business cards;

areas of the liner sheet covering back sides of all of the through-cut lines, the areas being adapted to hold the printable business cards and the matrix waste portion together when the sheet of printable business cards is sheet fed through a printer or copier for a printing operation on the printable business cards;

the ultraremovable adhesive covers the entirety of the back side of the cardstock sheet construction;

the liner sheet, the ultraremovable adhesive and the through-cut lines are adapted to allow the business cards to be removed from the liner sheet and from the matrix waste portion after the printing operation into individual printed business cards;

wherein the liner sheet, the ultraremovable adhesive and the through-cut lines are adapted to allow the business cards to be removed from the liner sheet and from the matrix waste portion after the printing operation into the individual printed business

cards with the ultraremovable adhesive remaining on the liner sheet and not on back side surfaces of the printed business cards;

wherein the cardstock sheet construction has a cardstock end edge, and the liner sheet has a corresponding liner sheet end edge, and wherein one of the cardstock end edge and the liner sheet end edge extends a distance out from the other to form a thin end of the sheet of printable business cards; and

wherein the liner sheet end edge extends the distance out.

167. (Currently Amended) [[The sheet of claim 165]] A sheet of printable business cards, comprising:

a cardstock sheet construction having a front side and a back side;

a solid continuous liner sheet releasably secured with ultraremovable adhesive to and covering the back side;

continuous through-cut lines through the cardstock sheet construction to the back side but not through-cut through the liner sheet;

the through-cut lines defining at least in part perimeter edges of printable business cards and a matrix waste portion;

portions of the back side of the cardstock sheet construction forming back side surfaces of the printable business cards;

areas of the liner sheet covering back sides of all of the through-cut lines, the areas being adapted to hold the printable business cards and the matrix waste portion together when the sheet of printable business cards is sheet fed through a printer or copier for a printing operation on the printable business cards;

the ultraremovable adhesive covers the entirety of the back side of the cardstock sheet construction;

the liner sheet, the ultraremovable adhesive and the through-cut lines are adapted to allow the business cards to be removed from the liner sheet and from the matrix waste portion after the printing operation into individual printed business cards;

wherein the liner sheet, the ultraremovable adhesive and the through-cut lines

are adapted to allow the business cards to be removed from the liner sheet and from the matrix waste portion after the printing operation into the individual printed business cards with the ultraremovable adhesive remaining on the liner sheet and not on back side surfaces of the printed business cards;

wherein the cardstock sheet construction has a cardstock end edge, and the liner sheet has a corresponding liner sheet end edge, and wherein one of the cardstock end edge and the liner sheet end edge extends a distance out from the other to form a thin end of the sheet of printable business cards; and

wherein the liner sheet end edge extends the distance out to form a narrow exposed strip extending the entire width of the liner sheet.

168. (Previously Presented) The sheet of claim 167 wherein the narrow exposed strip is approximately 1/2 inch wide.

169-206 (Cancelled).

207. (Currently Amended) [[The sheet of claim 206]] A sheet of printable business cards, comprising:

a cardstock sheet construction having a front side and a back side;

a solid continuous liner sheet releasably secured with ultraremovable adhesive to and covering the back side;

continuous through-cut lines through the cardstock sheet construction to the back side but not through-cut through the liner sheet;

the through-cut lines defining at least in part perimeter edges of printable business cards and a matrix waste portion;

portions of the back side of the cardstock sheet construction forming back side surfaces of the printable business cards;

areas of the liner sheet covering back sides of all of the through-cut lines, the areas being adapted to hold the printable business cards and the matrix waste portion together when the sheet of printable business cards is sheet fed through a printer or

copier for a printing operation on the printable business cards;

the ultraremovable adhesive covers the entirety of the back side of the cardstock sheet construction; and

the liner sheet, the ultraremovable adhesive and the through-cut lines are adapted to allow the business cards to be removed from the liner sheet and from the matrix waste portion after the printing operation into individual printed business cards;

wherein the back side surfaces of the printed business cards are tack-free after removal from the liner sheet;

wherein the cardstock sheet construction has a cardstock end edge, and the liner sheet has a corresponding liner sheet end edge, and wherein one of the cardstock end edge and the liner sheet end edge extends a distance out from the other to form a thin end of the sheet of printable business cards; and

wherein the liner sheet end edge extends the distance out.

208. (Currently Amended) [[The sheet of claim 206]] A sheet of printable business cards, comprising:

a cardstock sheet construction having a front side and a back side;

a solid continuous liner sheet releasably secured with ultraremovable adhesive to and covering the back side;

continuous through-cut lines through the cardstock sheet construction to the back side but not through-cut through the liner sheet;

the through-cut lines defining at least in part perimeter edges of printable business cards and a matrix waste portion;

portions of the back side of the cardstock sheet construction forming back side surfaces of the printable business cards;

areas of the liner sheet covering back sides of all of the through-cut lines, the areas being adapted to hold the printable business cards and the matrix waste portion together when the sheet of printable business cards is sheet fed through a printer or copier for a printing operation on the printable business cards;

the ultraremovable adhesive covers the entirety of the back side of the cardstock sheet construction; and

the liner sheet, the ultraremovable adhesive and the through-cut lines are adapted to allow the business cards to be removed from the liner sheet and from the matrix waste portion after the printing operation into individual printed business cards;

wherein the back side surfaces of the printed business cards are tack-free after removal from the liner sheet;

wherein the cardstock sheet construction has a cardstock end edge, and the liner sheet has a corresponding liner sheet end edge, and wherein one of the cardstock end edge and the liner sheet end edge extends a distance out from the other to form a thin end of the sheet of printable business cards; and

wherein the liner sheet end edge extends the distance out to form a narrow exposed strip extending the entire width of the liner sheet.

209. (Currently Amended) [[The sheet of claim 206]] A sheet of printable business cards, comprising:

a cardstock sheet construction having a front side and a back side;

a solid continuous liner sheet releasably secured with ultraremovable adhesive to and covering the back side;

continuous through-cut lines through the cardstock sheet construction to the back side but not through-cut through the liner sheet;

the through-cut lines defining at least in part perimeter edges of printable business cards and a matrix waste portion;

portions of the back side of the cardstock sheet construction forming back side surfaces of the printable business cards;

areas of the liner sheet covering back sides of all of the through-cut lines, the areas being adapted to hold the printable business cards and the matrix waste portion together when the sheet of printable business cards is sheet fed through a printer or copier for a printing operation on the printable business cards;

the ultraremovable adhesive covers the entirety of the back side of the cardstock sheet construction; and

the liner sheet, the ultraremovable adhesive and the through-cut lines are adapted to allow the business cards to be removed from the liner sheet and from the matrix waste portion after the printing operation into individual printed business cards;

wherein the back side surfaces of the printed business cards are tack-free after removal from the liner sheet;

wherein the cardstock sheet construction has a cardstock end edge, and the liner sheet has a corresponding liner sheet end edge, and wherein one of the cardstock end edge and the liner sheet end edge extends a distance out from the other to form a thin end of the sheet of printable business cards;

wherein the liner sheet end edge extends the distance out to form a narrow exposed strip extending the entire width of the liner sheet; and

wherein the narrow exposed strip is approximately 1/2 inch wide.

210-223 (Cancelled).

224. (Previously Presented) A sheet of printable business cards, comprising:

a cardstock sheet construction having a front side and a back side;

a solid continuous liner sheet releasably secured with ultraremovable adhesive to and covering the back side;

continuous through-cut lines through the cardstock sheet construction to the back side but not through-cut through the liner sheet;

the through-cut lines defining at least in part perimeter edges of printable business cards and a matrix waste portion;

portions of the back side of the cardstock sheet construction forming back side surfaces of the printable business cards;

areas of the liner sheet covering back sides of all of the through-cut lines, the areas being adapted to hold the printable business cards and the matrix waste portion together when the sheet of printable business cards is sheet fed through a printer or

copier for a printing operation on the printable business cards;

the ultraremovable adhesive covers the entirety of the back side of the cardstock sheet construction; and

the liner sheet, the ultraremovable adhesive and the through-cut lines are adapted to allow the business cards to be removed from the liner sheet and from the matrix waste portion after the printing operation into individual printed business cards;

wherein the cardstock sheet construction has a cardstock end edge, and the liner sheet has a corresponding liner sheet end edge, and wherein one of the cardstock end edge and the liner sheet end edge extends a distance out from the other to form a thin end of the sheet of printable business cards; and

wherein the liner sheet end edge extends the distance out.

225. (Previously Presented) A sheet of printable business cards, comprising:

a cardstock sheet construction having a front side and a back side;

a solid continuous liner sheet releasably secured with ultraremovable adhesive to and covering the back side;

continuous through-cut lines through the cardstock sheet construction to the back side but not through-cut through the liner sheet;

the through-cut lines defining at least in part perimeter edges of printable business cards and a matrix waste portion;

portions of the back side of the cardstock sheet construction forming back side surfaces of the printable business cards;

areas of the liner sheet covering back sides of all of the through-cut lines, the areas being adapted to hold the printable business cards and the matrix waste portion together when the sheet of printable business cards is sheet fed through a printer or copier for a printing operation on the printable business cards;

the ultraremovable adhesive covers the entirety of the back side of the cardstock sheet construction; and

the liner sheet, the ultraremovable adhesive and the through-cut lines are

adapted to allow the business cards to be removed from the liner sheet and from the matrix waste portion after the printing operation into individual printed business cards;

wherein the cardstock sheet construction has a cardstock end edge, and the liner sheet has a corresponding liner sheet end edge, and wherein one of the cardstock end edge and the liner sheet end edge extends a distance out from the other to form a thin end of the sheet of printable business cards; and

wherein the liner sheet end edge extends the distance out to form a narrow exposed strip extending the entire width of the liner sheet.

226. (Previously Presented) The sheet of claim 225 wherein the narrow exposed strip is approximately ½ inch wide.

227. (New) A sheet of printable business cards, comprising:

a cardstock sheet construction having a front side and a back side;

ultraremovable adhesive;

a continuous carrier sheet releasably secured with the ultraremovable adhesive to and covering the back side of the cardstock sheet construction;

continuous through-cut lines through the cardstock sheet construction to the back side but not through-cut through the carrier sheet;

the through-cut lines defining at least in part perimeter edges of printable business cards and of a matrix waste portion;

portions of the back side of the cardstock sheet construction forming back side surfaces of the printable business cards;

the printable business cards, the matrix waste portion, the carrier sheet, the ultraremovable adhesive and the through-cut lines defining at least in substantial part a printable business card sheet construction;

the printable business card sheet construction being dimensioned, constructed and adapted to be sheet-fed through a printer or copier for a printing operation on the printable business cards;

areas of the carrier sheet covering back sides of all of the through-cut lines, the

areas being dimensioned, constructed and adapted to hold the printable business cards and the matrix waste portion together when the printable business card sheet construction is sheet-fed through the printer or copier for the printing operation; and

the carrier sheet, the ultraremovable adhesive and the through-cut lines being dimensioned, constructed and adapted to allow the printed business cards to be removed from the carrier sheet and from the matrix waste portion after the printing operation into the individual printed business cards with the ultraremovable adhesive remaining on the carrier sheet and not on back side surfaces of the printed business cards.

228. (New) The sheet of claim 227 wherein the ultraremovable adhesive covers the entirety of the back side of the cardstock sheet construction.

229. (New) The sheet of claim 227 wherein the carrier sheet is a solid continuous carrier sheet.

230. (New) The sheet of claim 227 wherein the carrier sheet extends the entire width of the cardstock sheet construction.

234. (New) The sheet of claim 227 wherein adjacent ones of the printable business cards directly abut one another and share common edges.

235. (New) The sheet of claim 227 wherein the printable business cards are arranged in a matrix on the cardstock sheet construction.

236. (New) The sheet of claim 227 wherein the cardstock sheet construction includes a glossy cardstock sheet.

237. (New) The sheet of claim 227 wherein (a) the cardstock sheet construction includes left and right side edges and first and second end edges, (b) the through-cut lines include frame cut lines and grid cut lines, (c) the frame cut lines include first and second side cut lines spaced in from the left and right side edges, respectively, and

disposed parallel thereto, (d) the frame cut lines include first and second end cut lines spaced in from and parallel to the first and second end edges, both of the end cut lines engaging both of the side cut lines, (e) the frame cut lines define a central area on the facestock sheet construction, (f) the grid cut lines define a grid disposed in the central area, and (g) the grid cut lines and the frame cut lines separate the central area into the printable business cards.

238. (New) The sheet of claim 227 wherein the carrier sheet comprises a densified bleached kraft sheet.

239. (New) The sheet of claim 227 wherein at least some of the through-cut lines define the matrix waste portion around the printable business cards.

240. (New) The sheet of claim 227 wherein the through-cut lines include vertical and horizontal cut lines.

241. (New) The sheet of claim 240 wherein a top one of the horizontal cut lines extends a full width of the cardstock sheet construction.

242. (New) The sheet of claim 241 wherein ends of the rest of the horizontal cut lines are spaced inwardly from the left and right side edges of the facestock sheet construction.

243. (New) The sheet of claim 242 wherein the rest of the horizontal cut lines extend a distance out beyond the outermost of the vertical cut lines.

244. (New) The sheet of claim 227 wherein the carrier sheet comprises a base paper sheet.

245. (New) The sheet of claim 227 wherein the carrier sheet has a thickness of approximately 3.0 mil.

246. (New) The sheet of claim 227 wherein the carrier sheet has a thickness of

PATENT

Old Docket No. 310048-550

Docket: 11286-1115

Avery No. 2991-US

approximately 2.0 mil.

247. (New) The sheet of claim 227 wherein the carrier sheet covers the entire back side of the cardstock sheet construction.

248. (New) The sheet of claim 227 wherein the through-cut lines define all of the perimeter edges of all of the printable business cards.

249. (New) The sheet of claim 248 wherein the printable business cards are arranged in a two column matrix on the cardstock sheet construction.

250. (New) The sheet of claim 249 wherein the printable business cards in each column of the two column matrix abut adjacent printable business cards in the same column separated only by respective ones of the through-cut lines.

251. (New) The sheet of claim 227 wherein the printable business cards comprise a matrix block of printable business cards completely surrounded by the matrix waste portion.

252. (New) The sheet of claim 227 wherein the cardstock sheet construction is a top-coated cardstock sheet.

253. (New) The sheet of claim 227 wherein the printable business cards are arranged in a plurality of butt-cut columns and a plurality of butt-cut rows.

254. (New) The sheet of claim 227 wherein the cardstock sheet construction is approximately 9.0 mil thick.

255. (New) The sheet of claim 227 wherein the cardstock sheet construction and the carrier sheet are both rectangular and have the same width and length dimensions.

256. (New) The sheet of claim 227 wherein the cardstock sheet construction has a cardstock end edge, and the carrier sheet has a corresponding carrier sheet end edge,

1/2 inch wide.

260. (New) The sheet of claim 256 wherein the thin end is adapted to provide printer or copier infeed flexibility for the printable business card sheet construction.

261. (New) The sheet of claim 256 wherein an end of the printable business card sheet construction opposite to the thin end is calendered.

262. (New) The sheet of claim 227 wherein the back side surfaces of the printed business cards are tack-free after removal from the carrier sheet.

263. (New) The sheet of claim 227 wherein a cut line in the carrier sheet extends across at least substantially an entire width of the carrier sheet.

264. (New) The sheet of claim 263 wherein the cut line is approximately a 1/4 inch from an end edge of the carrier sheet.

265. (New) The sheet of claim 263 wherein the cut line defines a printer infeed flexibility cut line of the printable business card sheet construction.

266. (New) The sheet of claim 227 wherein an infeed edge of the printable business card sheet construction, along an entire width of the printable business card sheet construction, is thinner than a body of the printable business card sheet construction.

267. (New) The sheet of claim 227 wherein a lead-in edge of the printable business card sheet construction is calendered to improve feeding of the printable business card sheet construction into a printer or copier.

268. (New) The sheet of claim 227 wherein the cardstock sheet construction includes a cardstock sheet and the ultraremovable adhesive is directly on the cardstock sheet.

269. (New) The sheet of claim 227 wherein the printable business card sheet construction is 8 1/2 x 11 inches.

PATENT

Old Docket No. 310048-550

Docket: 11286-1115

Avery No. 2991-US

card sheet construction, along an entire width of the printable business card sheet construction, is thinner than a body of the printable business card sheet construction.

267. (New) The sheet of claim 227 wherein a lead-in edge of the printable business card sheet construction is calendered to improve feeding of the printable business card sheet construction into a printer or copier.

268. (New) The sheet of claim 227 wherein the cardstock sheet construction includes a cardstock sheet and the ultraremovable adhesive is directly on the cardstock sheet.

269. (New) The sheet of claim 227 wherein the printable business card sheet construction is 8 ½ x 11 inches.

270. (New) The sheet of claim 269 wherein the cardstock sheet construction is approximately 9.0 mil thick.

271. (New) The sheet of claim 269 wherein the cardstock sheet construction is a top-coated cardstock sheet.

272. (New) The sheet of claim 271 wherein the carrier sheet comprises a base paper sheet.

273. (New) The sheet of claim 227 wherein the ultraremovable adhesive provides partial contact with the cardstock sheet construction and the partial contact prevents the ultraremovable adhesive from becoming permanent over time.

274. (New) The sheet of claim 227 wherein the sheet of printable business cards has A4 dimensions.

275. (New) The sheet of claim 227 wherein the printable business cards are arranged in a plurality of rows and a plurality of columns.